

**Brought to you by Pro Gear &
Transmission.**

For parts or service call:


**877-776-4600
407-872-1901**



www.globaldifferentialsupply.com

**906 W. Gore St. Orlando, FL 32805
parts@eprogear.com**

Marmon-Herrington



R17N/H Series

Parts Manual

TABLE OF CONTENTS

FORWARD

| | |
|-------------------------------------|-----|
| WARRANTY POLICY AND PROCEDURE | 3-5 |
|-------------------------------------|-----|

R17N/H REAR AXLE

| | |
|---|-------|
| DIFFERENTIAL CARRIER HOUSING R17N/H | 6-7 |
| TANDEM DIFFERENTIAL R17N/H | 8-9 |
| CARRIER AIR CHAMBER R17N/H | 10-11 |
| AXLE HOUSING & AXLE SHAFT R17N/H | 12-13 |
| PLANETARY R17N/H | 14-15 |
| WHEEL HUB, BRAKE DRUM R17N/H | 16-17 |
| BRAKE R17N/H | 18-19 |

Marmon-Herrington



13001 Magisterial Drive • Louisville, KY 40223
(502) 253-0277 • (800) 227-0727 • Fax (502) 253-0317
E-mail: info@marmon-herrington.com
www.marmon-herrington.com

[illegible]

— 2 —

FORWARD

GENERAL

This manual has been prepared for operators and service personnel working with the Marmon-Herrington series of transfer cases and front drive axles. For further technical assistance, please contact Marmon-Herrington Customer Service.

Please observe and follow all procedural and maintenance guidelines to ensure reliable operation and optimum service life. The Marmon-Herrington basic service schedule will integrate seamlessly with most preventative maintenance programs.

Marmon-Herrington shall not be liable for component failures or damages caused by operational abuse or neglect. Please review the Warranty Statement for a detailed explanation of coverage and claim reporting procedures.

We thank you for your investment in Marmon-Herrington equipment, and look forward to serving your needs in the best tradition of engineering excellence.

MISCELLANEOUS ISSUES

Marmon-Herrington equipped vehicles are designed for “as needed” AWD operation only, in off-road conditions.

Due to issues associated with torque, drive line wind-up and ratio mis-match, Marmon-Herrington axles and transfer cases must never be operated in AWD mode or while engaged on hard, dry surfaces.

Owner/Operators should seek expert assistance when considering alternative gear ratios and/or tire sizes.

Marmon-Herrington Axles and Transfer Cases should only be shifted when at a full stop. “Shifting on the Fly” or shifting while in motion are prohibited modes of operation. This applies to front axle engagement, high and low transfer case ranges, and locking differentials. The only exceptions are those vehicles equipped with Marmon-Herrington’s **SAFE-T-SHIFT system**.

SAFE-T-SHIFT

In 2003, Marmon-Herrington developed an electronic management system to help prevent “shift on the fly” damage. It consists of a microprocessor that receives speed information from a remote sensor in the transfer case. The system is calibrated to activate the shift solenoids at the first detection of motion, and then cancel control functions at 4 mph.

Relative rotation speeds of the gear sets may require that the vehicle be rolled a few feet before the shift will complete.

Axle and transfer case shifting can generally be heard and felt inside the cab. Indicator lights on the dash will also illuminate when the shift is complete. **DO NOT ACCELERATE UNTIL APPROPRIATE POSITION IS INDICATED ON DASH LIGHT OR CONTROL SWITCH.**


Shift Procedure

1. With the vehicle at a complete stop, select the desired range or front axle position.
2. Place the main transmission in gear.
3. Allow the vehicle to idle forward (or backwards) at walking speed until shift is completed.
4. Verify proper position indication.
5. Accelerate normally.

In the case of a manual transmission, ease the clutch out in low gear, allowing the vehicle to “walk” until shift is completed.

Some possible exclusions to the Safe-T-Shift program are those vehicles fitted with a transfer case mounted PTO, OEM factory installations, and any with non-Marmon-Herrington transfer cases.

Marmon-Herrington



MARMON-HERRINGTON WARRANTY

This is to certify that we, Marmon-Herrington Company, Louisville, Kentucky, warrant each new chassis remanufactured, or assembly or part furnished for the remanufacture of a truck chassis against defects in material and workmanship under normal use and service. Marmon-Herrington's obligation under this warranty is limited to replacement of, at our factory, any part or parts thereof which shall, within one (1) year after delivery of such vehicle to the final user after installation of the all-wheel drive installation kit, be returned to us with transportation charges prepaid, and which our examination shall disclose to our satisfaction to have been thus defective.

Marmon-Herrington will warrant covered components against defects in material and workmanship under normal use and service for the specified period. This warranty includes all internal components with the following exceptions: Exceptions include, but are not limited to wear items such as brake linings and drums, oil seals and bearings, which will be covered for a period of 12 months or 12,000 miles, whichever ever occurs first.

Failure to follow designated maintenance procedures and schedules, maintain required lubrication levels, or any form of operational abuse or misuse will void all warranty coverage expressed or implied.

Failure reporting and claims submission procedures are to be followed as outlined in the standard warranty guidelines

Service parts are manufactured to the same standards as production installed parts. However, since the installation thereof, as well as the age and condition of the receiving vehicle are beyond the control of Marmon-Herrington, Service Parts are warranted for a period of ninety (90) days or five thousand (5,000) miles whichever first occurs. All other regular warranty conditions apply.

On vehicles operating OVERSEAS, the determination of defects will be made at Marmon-Herrington Company, Louisville, Kentucky, from complete information supplied in writing by overseas distributors or recognized acting distributors. Complete information is defined to mean: vehicle serial number, user's name, date of delivery, mileage at time of breakage, date of breakage, type of service, nature of break or fault, distributor's recommendation (for our guidance only), and any other pertinent information. After determination of our obligation, any parts to be replaced will be shipped to distributor or acting distributor in accordance with his instructions.

This warranty is in lieu of all other warranties expressed or implied and of all other obligations or liabilities incurred by Marmon-Herrington. Marmon-Herrington neither assumes nor authorizes any other person to assume any other liability in connection with this sale, including but not limited to indirect or consequential damages.

This warranty shall not apply to any vehicle which shall have been repaired or altered in any way so as in our judgment, to affect its stability or reliability, nor which has been subject to misuse, negligence, or accident, nor which shall have been operated at a speed exceeding the factory rated speed or loaded beyond the factory rated load capacity or operated in violation of Marmon-Herrington's instructions.

Marmon-Herrington makes no warranty whatever on components of the original manufacturer's chassis not related

to the modification work. Also, no warranty is made on tires, rims, ignitions, or other parts usually warranted separately by their respective manufacturers.

The manufacturers reserve the right to make changes in design, and changes or improvements upon their product, without notice, and without incurring any obligation to install such changes or improvements upon their products theretofore manufactured.

This warranty shall become effective only when the Warranty Certificate has been returned to Marmon-Herrington and validated by the same.

In the case of vehicles operating in extreme conditions such as corrosive material mines, deep- water zones or areas of hostile aggression, the following warranty limitations apply:

Marmon-Herrington shall not be responsible for damage caused by chemical corrosion, internal water damage due to total immersion, or explosive impact. These conditions constitute severe duty and are not covered by Marmon-Herrington standard warranty.

WARRANTY REPAIR AND CLAIM PROCEDURE

Initial Failure Reporting

1. Operator must call Marmon-Herrington Customer Service prior to performing any repairs and receive a Repair Authorization Number to be eligible for reimbursement. The work authorization number does not guarantee payment but is an acknowledgement that the vehicle is within the warranty period in terms of date and mileage, and that a claim has been activated. **It will be the responsibility of the operator to ensure that their repair facility is aware of, and complies with, the guidelines of this policy.**
2. To expedite the authorization process, you will need the Sales Order Number or "S" number found on the component I.D. tag. You will also need the Vehicle Identification Number or the last six digits of the "VIN", the date the vehicle was placed in service, and the current mileage. Please note the following:
 - This Warranty Registration should have been submitted at the time of delivery. If our records do not include a warranty registration, you must complete one before any authorization for repair can be issued. We will make them available by mail or fax upon request.
3. Marmon-Herrington will pre-approve .5 hours diagnosis/inspection time prior to your call for repair authorization. If the the diagnosis/inspection complaint does not reveal a warrantable failure, or result in a warrantable repair, the customer will be responsible for all charges including diagnosis/inspection time.
4. The Operators Manual contains information covering proper equipment use and maintenance schedules. Operators must adhere to these guidelines to be eligible for reimbursement, and service records must be provided upon request.

Pre-Repair Requirements

1. Authorization for repairs will require a written estimate/repair order of costs after determination that a warrantable condition is found to exist.

2. Estimates must contain the following information:
 - A list of all parts necessary for specific job and if applicable, all parts that will be invoiced back to Marmon-Herrington.
 - The cost of disassembly, inspection and diagnosis of any portion of the vehicle to determine extent of repairs needed.
 - Current labor costs, reflecting both hourly rate and number of hours to effect repairs must be listed.
 - Miscellaneous charges such as “shop supplies” must be defined. Actual dollar amounts must be listed, as percentages will not be accepted.
 - Sublet repairs must also be defined and included in the estimate at their actual dollar amount.
 - NOTE: If it becomes necessary to exceed the original estimate in terms of parts or labor, the repair facility must call Marmon-Herrington Customer Service for additional authorization.
3. Only the use of Marmon-Herrington supplied parts will constitute reimbursement unless prior approval has been obtained.

Parts Ordering

While Marmon-Herrington operates a full Service Parts Department, replacement parts needed to effect Warranty repairs must be acquired through Customer Service to be eligible for reimbursement.

Post Repair Requirements

The final invoice or work order must include the following:

- Customer's name, address, and phone number.
- The Vehicle Identification number.
- The Sales Order Number or “S” number, which the customer can provide or can be located on the I.D. tag, fixed to the transfer case or axle.
- The Axle or Transfer Case Model and Serial Number, also located on the I.D. tag.
- Mileage In / Mileage Out.
- The Cause and Correction of the repair including detailed description of repairs and parts replaced.
- The date the repair order was open and the date the repairs were completed.
- The Work Authorization Number obtained from Customer Service.

Notes to Repair Facilities

1. Miscellaneous charges such as “shop supplies” must be listed as separate line items and shown on the final invoice as stated in “Pre-Repair Requirements.” Invoices for sublet repairs must be made available upon request.
2. All repairs must comply with any or all state and DOT requirements.
3. Downtime of vehicle and incurred costs associated due to the delay of parts shipments or any other condition beyond our control is not reimbursable and should not be listed on the invoice.
4. All failed parts that are required to be returned to Marmon-Herrington must be received before payment will be made. The Return Authorization will be sent with the replacement parts when shipped from Marmon-Herrington.
5. All Claims must be submitted within 60 days of completion of repairs to be eligible for reimbursement.

For Work Authorization call: (800) 227-0727, Ext. 282
 To Submit Claims by Fax: (502) 253-0317

Submit Claims by Mail to:

Marmon-Herrington Company, Customer Service Department,
 13001 Magisterial Drive, Louisville, KY 40223.

REPLACEMENT PARTS

When ordering replacement parts for **MARMON-HERRINGTON** installations, the following information should be given:

1. **FACTORY ORDER NUMBER** (found on I.D. Plate or small plate affixed to axle housing). This will be a six (6) digit number. (See illustrations this page.)
2. Component for which parts are required, i.e. front drive axle or transfer case/drop box.
3. Model of axle and/or transfer case/drop box, i.e. MT10, MVG 750, MDB500.
4. Give quantity and part number required. **NOTE:** Drivelines, shift linkage, etc., can be found on the computer printout of Bill of Material, which is included in the Service Manual.
5. Give complete billing and shipping address.

CALL IN PROCEDURE

Before proceeding with repairs or ordering parts that you feel may be covered under warranty, you must first contact Marmon-Herrington Customer Service Department to obtain a Repair Authorization Number.

(800) 227-0727, Ext. 282 8am-5pm EST
 (502) 693-1129 5pm-8pm EST

Please be prepared to supply the following information:

Factory Order Number or “S-Number” This is located on an I.D. plate fixed to either the driver's door panel or the component (axle or transfer case) itself. This plate will also show the component's model and serial number. Example: S-7777-05

Component Model and Serial Number

Vehicle Year, Make and Model

Vehicle Identification Number

Mileage


In Service Date

Please refer to our website (www.marmon-herrington.com) for the latest versions of our parts and service manuals, as well as new products and contact information.

The information necessary for replacement parts and/or warranty claim procedures will be found on either plate design.


| | |
|--------------------------|---------|
| MARMON-HERRINGTON | |
| SALES ORDER | 0000-00 |
| RATIO | |
| S/N | TYPE |
| CUST P/N | |

| | |
|--|---------|
| MARMON-HERRINGTON | |
| SALES ORDER | 0000-00 |
| S/N | TYPE |
| CUST P/N | |
| COVERED BY ONE OR MORE OF THE FOLLOWING PATENTS: U.S. PATENTS 4,878,691; 4,934,733; 5,016,912; 5,275,430; 5,839,750; AND 6,398,251; AND CA PATENT 1,316,185. OTHER U.S. AND FOREIGN PATENTS PENDING. | |

| | |
|---|---------|
|  ALL-WHEEL DRIVE LOUISVILLE, KENTUCKY U.S.A. | |
| FACTORY ORDER NO. | 0000-00 |
| INSTALLED BY | |
| FRONT DRIVING AXLE | |
| MODEL | |
| CAPACITY | |
| SERIAL NO. | |
| RATIO | |
| TRANSFER CASE | |
| MODEL | |
| SERIAL NO. | |

PM06/08

DIFFERENTIAL CARRIER HOUSING R17N/H




Marmon-Herrington




| COMPLETE CARRIER ASSEMBLY | | | | | ITEM NO. | MH PART NO. | DESCRIPTION | QTY. REQ. |
|---------------------------|------------------|---|-----------|--|----------|-------------|-------------|-----------|
| CARRIER P/N | DESCRIPTION | FINAL RATIO | | | | | | |
| R22-1001 | Carrier Assembly | 4.25 | | | | | | |
| R22-1002 | Carrier Assembly | 4.56 | | | | | | |
| R22-1003 | Carrier Assembly | 4.92 | | | | | | |
| R22-1004 | Carrier Assembly | 5.29 | | | | | | |
| R22-1005 | Carrier Assembly | 5.65 | | | | | | |
| R22-1010 | Carrier Assembly | 5.83 | | | | | | |
| R22-1000 | Carrier Assembly | 6.11 | | | | | | |
| R22-1006 | Carrier Assembly | 6.27 | | | | | | |
| R22-1007 | Carrier Assembly | 6.68 | | | | | | |
| R22-1008 | Carrier Assembly | 7.14 | | | | | | |
| R22-1009 | Carrier Assembly | 7.72 | | | | | | |
| ITEM NO. | MH PART NO. | DESCRIPTION | QTY. REQ. | | | | | |
| 1 | R22-1030 | Differential Carrier Housing | 1 | | | | | |
| 2 | MT22-1077 | Flanged Bolt, Special | 14 | | | | | |
| 3 | MT22-1212 | Taper Roller Bearing | 1 | | | | | |
| 4 | MT22-1078 | Taper Roller Bearing | 1 | | | | | |
| 5 | MT22-1079 | Bearing Adjuster, M13x2 | 2 | | | | | |
| 6 | MT22-1080 | Adjuster Lock Plate | 2 | | | | | |
| 7 | MT22-1081 | Lock Plate | 2 | | | | | |
| 8 | 11500773 | Hex Bolt, M8x16 | 6 | | | | | |
| 9 | 11500191 | Flat Lock Washer | 2 | | | | | |
| 10 | R22-1011 | Toothed Hub | 1 | | | | | |
| 11 | R22-1012 | Shift Fork | 1 | | | | | |
| 12 | MT14-1068 | Vent Valve | 1 | | | | | |
| 13 | R22-1014 | Clevis | 1 | | | | | |
| 14 | 11504971 | Hex Bolt, M5x12 | 2 | | | | | |
| 15 | R22-1015 | Spring | 1 | | | | | |
| 16 | R22-1016 | Push Rod | 1 | | | | | |
| 17 | R22-1017 | Washer | AR | | | | | |
| 18 | R22-1021 | Differential Lock Actuating Air Chamber Assy. | 2 | | | | | |
| | | AR = As Required | | | | | | |

MARMON-HERRINGTON ALL-WHEEL DRIVE
 13001 Magisterial Drive • Louisville, KY 40223
 (502) 253-0277 • (800) 227-0727 • Fax (502) 253-0317
 E-mail: info@marmon-herrington.com

DIFFERENTIAL CARRIER HOUSING R17N/H

Marmon-Herrington

 PM06/08

TANDEM DIFFERENTIAL R17N/H




Marmon-Herrington




| ITEM NO. | MH PART NO. | DESCRIPTION | QTY. REQ. | ITEM NO. | MH PART NO. | DESCRIPTION | QTY. REQ. |
|----------|-------------|---|-----------|----------|-------------|--------------------------------|-----------|
| 1 | R22-1018 | Differential Case Halves, Assy. (Includes Item #'s 2, 3, 4) | 1 | 19 | MT14-1075 | Pinion Bearing, Inner | 1 |
| 2 | MT22-1066 | Hex Bolt, M10x75 | 12 | 20 | MT14-1079 | Pinion Bearing, Outer | 1 |
| 3 | MT22-1065 | Washer, Special | 2 | 21 | MT22-1070 | Cover | 1 |
| 4 | RF22-1064 | Oil Baffle Plate | 2 | 22 | MT22-1069 | Oil Seal Kit, Pinion | 1 |
| 5 | MT22-1061 | Differential Cross | 1 | 23 | 11500713 | Hex Bolt, M8x20 | 8 |
| 6 | MT22-1062 | Differential Pinion Gear | 4 | 24 | 11500191 | Flat Lock Washer, M8 | 8 |
| 7 | MT22-1063 | Washer, Differential Pinion Gear | 4 | 25 | MT17-1050 | Companion Flange, 1610 Series | 1 |
| 8 | RF22-1093 | Differential Side Gear | 2 | 26 | MT22-1073 | Companion Flange, 1710 Series | 1 |
| 9 | MT22-1059 | Washer, Differential Side Gear | 2 | 27 | MT14-1082 | Pinion Castle Nut | 1 |
| 10 | MT23-1054 | Ring Gear and Pinion (1.227) 4.25 | 1 | 28 | 103422 | Cotter Pin | 1 |
| | MT23-1053 | Ring Gear and Pinion (1.318) 4.56 | 1 | 29 | MT22-1074 | Washer, Special | 1 |
| | MT23-1056 | Ring Gear and Pinion (1.422) 4.92 | 1 | 30 | MT14-1076 | Distance Sleeve | 1 |
| | MT23-1057 | Ring Gear and Pinion (1.526) 5.29 | 1 | | MT14-1077A | Bearing Distance Ring, 6.90 MM | AR* |
| | MT23-1055 | Ring Gear and Pinion (1.632) 5.65 | 1 | | MT14-1077B | Bearing Distance Ring, 7.00 MM | AR |
| | MT23-1047 | Ring Gear and Pinion (1.684) 5.83 | 1 | | MT14-1077C | Bearing Distance Ring, 7.02 MM | AR |
| | MT23-1046 | Ring Gear and Pinion (1.765) 6.11 | 1 | | MT14-1077D | Bearing Distance Ring, 7.04 MM | AR |
| | MT23-1058 | Ring Gear and Pinion (1.812) 6.27 | 1 | | MT14-1077E | Bearing Distance Ring, 7.06 MM | AR |
| | MT23-1040 | Ring Gear and Pinion (1.929) 6.68 | 1 | | MT14-1077F | Bearing Distance Ring, 7.08 MM | AR |
| | MT23-1041 | Ring Gear and Pinion (2.077) 7.14 | 1 | | MT14-1077G | Bearing Distance Ring, 7.10 MM | AR |
| | MT23-1042 | Ring Gear and Pinion (2.231) 7.72 | 1 | | MT14-1077H | Bearing Distance Ring, 7.20 MM | AR |
| 11 | R22-1019 | Clutch Ring | 1 | | MT14-1077I | Bearing Distance Ring, 7.32 MM | AR |
| 12 | R22-1020 | Spacer Ring | 1 | | MT14-1077J | Bearing Distance Ring, 7.44 MM | AR |
| 13 | R22-1027 | Snap Ring | 1 | | MT14-1077K | Bearing Distance Ring, 7.56 MM | AR |
| 14 | RF22-1250 | Self-Lock Flange Bolt | 16 | | MT14-1077L | Bearing Distance Ring, 7.68 MM | AR |
| 15 | MT22-1068 | Bearing Cage Assy. (Includes Item #16) | 1 | | MT14-1077M | Bearing Distance Ring, 7.80 MM | AR |
| 16 | MT14-1078 | Oil Baffle Plate | 1 | | MT14-1077N | Bearing Distance Ring, 7.92 MM | AR |
| 17 | MT22-1077 | Flanged Bolt, Special | 12 | | | | |
| 18 | MT22-1067A | Shim, 1.0 MM | AR | | | | |
| | MT22-1067B | Shim, .50 MM | AR | | | | |
| | MT22-1067C | Shim, .30 MM | AR | | | | |
| | MT22-1067D | Shim, .25 MM | AR | | | | |
| | MT22-1067E | Shim, .20 MM | AR | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

DIFFERENTIAL LOCK AIR CHAMBER R17N/H




| ITEM NO. | MH PART NO. | DESCRIPTION | QTY. REQ. | ITEM NO. | MH PART NO. | DESCRIPTION | QTY. REQ. |
|----------|-------------|--|-----------|----------|-------------|-------------|-----------|
| 1 | R22-1021 | Differential Lock Actuating Air Chamber Assy. (Includes Items #2, 3, 4, 5, 6, 7, and 8) | 2 | | | | |
| 2 | R22-1022 | Cap* | 1 | | | | |
| 3 | R22-1023 | Diaphragm* | 1 | | | | |
| 4 | R22-1024 | Spring Cap* | 1 | | | | |
| 5 | R22-1025 | Spring* | 1 | | | | |
| 6 | R22-1026 | Housing* | 1 | | | | |
| 7 | R22-1032 | Clamp, Bolt Kit* | 1 | | | | |
| 8 | R22-1029 | Clamp* | 2 | | | | |
| 9 | MVG12-1040 | Washer (Non-Military Only) | 1 | | | | |
| 10 | MVG12-1041 | Reporting Switch (Non-Military Only) | 1 | | | | |
| 11 | MT75-7750 | Connecting (Non-Military Only) | 1 | | | | |
| 12 | R22-1023K | Diaphragm Kit (Includes Items #3, 7, 8) | 1 | | | | |
| | | | | | | | |
| | | | | | | | |
| | | *Not Sold Separately | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

AXLE HOUSING & AXLE SHAFT R17N/H



Marmon-Herrington



| ITEM NO. | MH PART NO. | DESCRIPTION | QTY. REQ. | ITEM NO. | MH PART NO. | DESCRIPTION | QTY. REQ. |
|----------|-------------|---|-----------|----------|-------------|-------------|-----------|
| 1 | R17-1034 | Axle Housing | 1 | | | | |
| 2 | MT14-1070 | Fill Plug, Carrier | 1 | | | | |
| 3 | MT14-1071 | Drain Plug, Carrier | 1 | | | | |
| 4 | MT14-1088 | O-Ring, Housing to Yoke, 118x5 | 2 | | | | |
| 5 | R22-1407 | Spindle Assy., L.H. (Incl. Item #'s 12,13) | 1 | | | | |
| | R22-1408 | Spindle Assy., R.H. (Incl. Item #'s 12,13) | 1 | | | | |
| 6 | R22-1209 | Hex Bolt | 22 | | | | |
| 7 | R17-1037 | Shoulder Ring | 2 | | | | |
| 8 | MT17-1132 | Spindle Nut, M70x2 | 4 | | | | |
| 9 | MT17-1133 | Locking Plate | 2 | | | | |
| 10 | RF17-1051 | Axle Shaft (Short) | 1 | | | | |
| 11 | RF17-1052 | Axle Shaft, Differential Lock Side (Long) | 1 | | | | |
| 12 | MT17-1112 | Bushing | 2 | | | | |
| 13 | MT22-1241 | Bushing | 4 | | | | |
| 14 | MT17-1233 | Spindle Nut Kit (Includes Item #'s 8,9) | 2 | | | | |
| 15 | R17-1201 | Wheel End Kit, L.H. (Includes all parts from the Spindle out.) | 1 | | | | |
| | R17-1202 | Wheel End Kit, R.H. (Includes all parts from the Spindle out.) | 1 | | | | |
| | | | | | | | |
| | | | | | | | |
| | | AR = As Required | | | | | |
| | | | | | | | |
| | | | | | | | |

MARMON-HERRINGTON ALL-WHEEL DRIVE
 13001 Magisterial Drive • Louisville, KY 40223
 (502) 253-0277 • (800) 227-0727 • Fax (502) 253-0317
 E-mail: info@marmon-herrington.com


AXLE HOUSING & AXLE SHAFT R17N/H

Marmon-Herrington



PM06/08

PLANETARY R17N/H



Marmon-Herrington



| ITEM NO. | MH PART NO. | DESCRIPTION | QTY. REQ. | ITEM NO. | MH PART NO. | DESCRIPTION | QTY. REQ. |
|----------|-------------|---------------------------------|-----------|----------|-------------|---|-----------|
| 1 | MT14-1217 | Planet Gear Pin | 10 | 26 | MT14-1223 | Planet Gear Kit | 2 |
| 2 | MT14-1218 | Steel Ball | 10 | | | (Includes Item #'s 1,2,3,4,5) | |
| 3 | MT14-1219 | Distance Plate | 20 | 27 | MT17-1235 | Sun Gear/Friction Disc Kit | 2 |
| 4 | MT14-1220 | Roller Bearing Assembly | 10 | | | (Includes Item #'s 18,19,20,21,22,23,24,25) | |
| 5 | MT14-1028 | Planet Gear | 10 | 28 | MT17-1227 | Planetary Gear Carrier Assy. (285 BC) | 2 |
| 6 | MT14-1070 | Fill Plug, Planetary Hub | 2 | | MT92-1227 | (Includes Item #'s 13 and 26) | 2 |
| 7 | MT17-1213 | Drain Plug, Planetary Hub | 2 | | | Planetary Gear Carrier Assy. (335 BC) | |
| 8 | MT14-1212 | Sealing Ring | 2 | | | (Includes Item #'s 13 and 26) | |
| 9 | MT14-1211 | Threaded Stud | 2 | | | | |
| 10 | 11500773 | Hex Bolt, M8x16-1.25 (285 BC) | 10 | | | | |
| | 11500723 | Hex Bolt, M10x20-1.5 (335 BC) | 10 | | | | |
| 11 | 11500191 | Lock Washer, M8 (285 BC) | 10 | | | | |
| 12 | MT14-1029 | End Cover (285 BC) | 2 | | | | |
| | MT22-1156 | End Cover (335 BC) | 2 | | | | |
| 13 | MT17-1128 | Planetary Gear Carrier (285 BC) | 2 | | | AR = As Required | |
| | MT92-1161 | Planetary Gear Carrier (335 BC) | 2 | | | | |
| 14 | MT14-1025 | Planetary Ring Gear | 2 | | | | |
| 15 | MT14-1026 | Ring Gear Support Hub | 2 | | | | |
| 16 | MT14-1207 | Retaining Ring | 2 | | | | |
| 17 | 11500722 | Hex Bolt, M10x25-1.5 | 12 | | | | |
| 18 | MT22-1154 | Snap Ring | 2 | | | | |
| 19 | MT14-1024 | Sun Gear | 2 | | | | |
| 20 | MT17-1156 | Distance Ring | 2 | | | | |
| 21 | MT17-1157 | Friction Disc | 2 | | | | |
| 22 | MT14-1084 | Snap Ring | 2 | | | | |
| 23 | MT22-1158A | Shim, .25 MM | AR | | | | |
| | MT22-1158B | Shim, .50 MM | AR | | | | |
| | MT22-1158C | Shim, 2.00 MM | AR | | | | |
| 24 | MT22-1159 | Friction Disc | 2 | | | | |
| 25 | MT22-1153 | Spacer | 2 | | | | |
| | | | | | | | |

MARMON-HERRINGTON ALL-WHEEL DRIVE
 13001 Magisterial Drive • Louisville, KY 40223
 (502) 253-0277 • (800) 227-0727 • Fax (502) 253-0317
 E-mail: info@marmon-herrington.com


PLANETARY R17N/H

Marmon-Herrington




PM06/08

WHEEL HUB, BRAKE DRUM R17N/H



Marmon-Herrington



| ITEM NO. | MH PART NO. | DESCRIPTION | QTY. REQ. | ITEM NO. | MH PART NO. | DESCRIPTION | QTY. REQ. |
|----------|-------------|---|-----------|----------|-------------|-------------|-----------|
| 1 | MT17-1229 | Wheel Hub Assembly, Left (MT17N) | 1 | | | | |
| | MT17-1230 | Wheel Hub Assembly, Right (MT17N) | 1 | | | | |
| | MT17-1231 | Wheel Hub Assembly (MT17H) | 1 | | | | |
| | MT92-1168 | Wheel Hub Assembly (H) (335 BC) | 2 | | | | |
| 2 | MT17-1026 | Wheel Bolt, Left | 10 | | | | |
| | MT17-1027 | Wheel Bolt, Right | 10 | | | | |
| | T15372 | Nut, L.H. | 10 | | | | |
| | T15371 | Nut, R.H. | 10 | | | | |
| | MT93-1251 | Wheel Stud (ISO) Hub Mount (MT17H) | 20 | | | | |
| | MT92-1134 | Wheel Stud (HX) (335 BC) | 20 | | | | |
| | MT93-1197 | Flange Nut (ISO) | 20 | | | | |
| | MT93-1631 | Wheel Stud (ISO) Aluminum Wheel (MT17HX) | 20 | | | | |
| | MT93-1838 | Flange Nut (ISO) Aluminum Wheel (MT17HX) | 20 | | | | |
| 3 | MT14-1206 | Taper Roller Bearing | 2 | | | | |
| 4 | MT14-1202 | Taper Roller Bearing | 2 | | | | |
| 5 | MT14-1201 | Oil Seal | 2 | | | | |
| 6 | MT92-1016 | Brake Drum (335 BC) | 2 | | | | |
| | MT17-1016W | Brake Drum (285 BC) | 2 | | | | |
| 7 | 11500725 | Hex Bolt, M10x35-10.9 | 8 | | | | |
| 8 | MT14-1204 | Distance Sleeve | 2 | | | | |
| 9 | MT75-9625 | Exciter Ring (ABS) | 2 | | | | |
| 10 | MT17-1234 | Wheel Bearing Kit (Includes Item #'s 3,4,5) | 2 | | | | |
| | | | | | | | |
| | | AR = As Required | | | | | |
| | | | | | | | |
| | | | | | | | |


MARMON-HERRINGTON ALL-WHEEL DRIVE
13001 Magisterial Drive • Louisville, KY 40223
(502) 253-0277 • (800) 227-0727 • Fax (502) 253-0317
E-mail: info@marmon-herrington.com

WHEEL HUB, BRAKE DRUM R17N/H


Marmon-Herrington

PM06/08

BRAKE R17N/H



Marmon-Herrington



| ITEM NO. | MH PART NO. | DESCRIPTION | QTY. REQ. | ITEM NO. | MH PART NO. | DESCRIPTION | QTY. REQ. |
|----------|-------------|--|-----------|----------|-------------|-------------|-----------|
| 1 | MT22-1164 | Brake Shoe Assembly | 4 | | | | |
| 2 | MT22-1255 | Brake Shoe Kit (Includes Item #26) | 2 | | | | |
| | MT22-1177 | Brake Shoe Spring (Long) | 4 | | | | |
| 3 | MT14-1157 | Brake Shoe Return Spring (Short) | 4 | | | | |
| 4 | MT14-1158 | Spring Support Pin | 4 | | | | |
| 5 | MT22-1178 | Brake Shoe Roller | 4 | | | | |
| 6 | MT22-1243 | Brake Shoe Pin | 4 | | | | |
| 7 | MT22-1180 | Bushing | 4 | | | | |
| 8 | MT22-1179 | Oil Seal | 4 | | | | |
| 9 | 191758 | Ball Grease Fitting (1/8) | 2 | | | | |
| 10 | R92-1140 | Brake Chamber Housing | 1 | | | | |
| | R92-1141 | (Includes Item #'s 7,8,9) | 1 | | | | |
| | | Brake Chamber Housing | | | | | |
| | | (Includes Item #'s 7,8,9) | | | | | |
| 11 | MT22-1183 | Hex Flanged Bolt | 8 | | | | |
| 12 | MT14-1145 | Spacer | 2 | | | | |
| 13 | R92-1146 | Cam Shaft | 1 | | | | |
| | R92-1147 | Cam Shaft (Not Shown) | 1 | | | | |
| 14 | MT22-1201 | Spacer | 2 | | | | |
| 15 | MT11-1105 | Shim, 0.5 MM | AR | | | | |
| 16 | R22-1205 | Automatic Slack Adjuster, L.H. | 1 | | | | |
| | R22-1206 | Automatic Slack Adj., R.H. (Not Shown) | 1 | | | | |
| 17 | MT22-1246 | Adjusting Cap, L.H. | 1 | | | | |
| | MT22-1247 | Adjusting Cap, R.H. | 1 | | | | |
| 18 | MT22-1187 | Wear Indicating Washer | 2 | | | | |
| 19 | MT17-1142 | Washer | 2 | | | | |
| 20 | MT22-1186 | Snap Ring | 2 | | | | |
| 21 | MT22-1239 | Stop, L.H. | 1 | | | | |
| | MT22-1240 | Stop, R.H. | 1 | | | | |
| 22 | MT22-1176 | Brake Cover Plate | 2 | | | | |
| 23 | 11500773 | Hex Bolt, M8x16 | 16 | | | | |
| 24 | 11500191 | Flat Lock Washer | 16 | | | | |
| 25 | MT22-1242 | Roller Spring (Optional) | 4 | | | | |
| 26 | MT22-1251 | Spring and Roller Kit | 2 | | | | |
| | | (Includes Item #'s 2,3,5,6 and 25) | | | | | |
| | | AR = As Required | | | | | |

MARMON-HERRINGTON ALL-WHEEL DRIVE
 13001 Magisterial Drive • Louisville, KY 40223
 (502) 253-0277 • (800) 227-0727 • Fax (502) 253-0317
 E-mail: info@marmon-herrington.com


**BRAKE
R17N/H**

Marmon-Herrington



PM06/08

Marmon-Herrington



13001 Magisterial Drive • Louisville, KY 40223
(502) 253-0277 • (800) 227-0727 • Fax (502) 253-0317
E-mail: info@marmon-herrington.com



Driving power since 1931.

Marmon-Herrington



13001 Magisterial Drive

Louisville, KY 40223

1-800-227-0727

www.marmon-herrington.com